Carbohydrate Research, 250 (1993) C15–C17
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

Special issue: Mechanism of enzymic glycoside hydrolysis and of glycosyl transfer

Foreword
Mechanism of enzymic glycoside hydrolysis and of glycosyl transfer by glycosidases and glycosyltransferases
G. Legler (Köln, Germany) vii

Synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affinity reagents for trehalase
E. Bar-Guilloux (Caen, France), J. Defaye (Grenoble, France), J. Lehmann (Freiburg, Germany), R. Nardin (Grenoble, France), D. Robic (Paris, France) and K. Urbahns (Freiburg, Germany) 1

β-Galactosidases of *Escherichia coli* with substitutions for Glu-461 can be activated by nucleophiles and can form β-D-galactosyl adducts
R.E. Huber and P.T. Chivers (Calgary, AB, Canada) 9

Synthese von 2-Acetamido-1,4-imino-1,2,4-tridesoxy-D-galaktitol und kompetitive Inhibition der humanen lysosomalen β-Hexosaminidase A
B. Liessem, A. Giannis, K. Sandhoff and M. Nieger (Bonn, Deutschland) 19

Competitive inhibition of glycoside hydrolases by 1,3-diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides
R. Jiricek, J. Lehmann, B. Rob and M. Scheuring (Freiburg, Germany) 31

Hydrolysis of α- and β-D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in glycosylase catalysis
H. Matsui, Y. Tanaka, C.F. Brewer, J.S. Blanchard and E.J. Hehre (Bronx, NY, USA) .. 45

Transglycosylation reaction of maltotriose-forming amylase from *Streptomyces griseus*
T. Usui, T. Murata, Y. Yabuuchi and K. Ogawa (Shizuoka, Japan) 57

2,5-Dideoxy-2,5-imino-D-mannitol and -D-glucitol. Two-step bio-organic syntheses from 5-azido-5-deoxy-D-glucofuranose and -L-idofuranose; evaluation as glucosidase inhibitors and application in affinity purification and characterisation of invertase from yeast
G. Legler, A. Korth (Köln, Germany), A. Berger, C. Ekhart, G. Gradnig and A.E. Stütz (Graz, Austria) 67

Hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting glycosidases
B. Padmaperuma and M.L. Sinnott (Chicago, IL, USA) 79

Substrate recognition by amyloglucosidase: evaluation of conformationally biased isomaltosides
M.M. Palcic (Edmonton, AB, Canada), T. Skrydstrup, K. Bock, N. Le and R.U. Lemieux (Copenhagen, Denmark) 87

N-Substituted (β-D-galactopyranosylmethyl)amines as reversible inhibitors of β-D-galactosidase
J.N. BeMiller (West Lafayette, IN, USA), R.J. Gilson, R.W. Myers, M.M. Santoro (Carbondale, IL, USA) and M.P. Yadav (West Lafayette, IN, USA) 93

Suicide-substrate inactivation of β-galactosidase by diazomethyl β-D-galactopyranosyl ketone
J.N. BeMiller (West Lafayette, IN, USA), R.J. Gilson, R.W. Myers and M.M. Santoro (Carbondale, IL, USA) 101

Configurationally selective transition state analogue inhibitors of glycosidases. A study with nojiritetrazoles, a new class of glycosidase inhibitors
P. Ermert, A. Vasella (Zürich, Switzerland), M. Weber, K. Rupitz and S.G. Withers (Vancouver, BC, Canada) 113

Chemoenzymic synthesis of sialylated and fucosylated oligosaccharides having an *N*-acetyllactosaminyl core
M.A. Kashem, K.B. Wlasichuk, J.M. Gregson and A.P. Venot (Edmonton, AB, Canada))129

Use of human-milk fucosyltransferase in the chemoenzymic synthesis of analogues of the sialyl Lewis^x and sialyl Lewis^a tetrasaccharides modified at the C-2 position of the reducing unit
P.V. Nikrad, M.A. Kashem, K.B. Wlasichuk, G. Alton and A.P. Venot (Edmonton, AB, Canada) 145

Aminosubstituted α-D-glucosylmethylbenzenes (benzyl α-*C*-glucosides) and an *N*-(*C*-α-D-glucosylmethyl)aniline (anilinomethyl α-*C*-glucoside); novel α-D-glucosidase inhibitors
H. Dietrich and R.R. Schmidt (Konstanz, Germany) 161

Notes

Chemical modification of the sugar moiety of methyl acarviosin: synthesis and inhibitory activity of eight analogues containing a 1,6-anhydro bridge
S. Ogawa and D. Aso (Yokohama, Japan) 177

Synthesis and inhibition studies of *C*-(D-glycopyranosyl)methylamines
W. Lai and O.R. Martin (Binghamton, NY, USA) 185

N-Bromoacetyl-glycopyranosylamines as affinity labels for a β-glucosidase and a cellulase
T.S. Black, L. Kiss, D. Tull and S.G. Withers (Vancouver, BC, Canada) 195

End of Special issue

Regular papers

NMR studies of molybdate complexes of D-allose, D-altrose, D-gulose, and D-idose
M. Matulová and V. Bílik (Bratislava, Slovakia) 203

Synthesis of 2,3-di-*O*-glycosyl derivatives of methyl α- and β-D-glucopyranoside
N.E. Nifant'ev, V.Y. Amochaeva, A.S. Shashkov and N.K. Kochetkov (Moscow, Russian Federation) 211

Wittig reaction of unprotected D-aldopentoses with stabilized ylides: metal-ion effects
D. Horton and D. Koh (Columbus, OH, USA) 231

Stereocontrol in Diels–Alder cycloaddition to unsaturated sugars: reactivities of acyclic seven-carbon *trans* dienophiles derived from aldopentoses
D. Horton and D. Koh (Columbus, OH, USA) 249

Stereocontrol in Diels–Alder cycloaddition to unsaturated sugars: reactivities of *cis*-dienophiles with cyclopentadiene
D. Horton, D. Koh and Y. Takagi (Columbus, OH, USA) 261

Studies of O-specific polysaccharide chains of *Pseudomonas solanacearum* lipopolysaccharides consisting of structurally different repeating units
N.A. Kocharova, Y.A. Knirel, A.S. Shashkov, N.E. Nifant'ev, N.K. Kochetkov (Moscow, Russian Federation) L.D. Varbanets, N.V. Moskalenko, O.S. Brovarskaya, V.A. Muras (Kiev, Ukraine) and J.M. Young (Auckland, New Zealand) 275

Chemical structure and conformational features of cell-wall polysaccharides isolated from *Aphanoascus mephitalus* and related species
J. Jiménez-Barbero, M. Bernabé, J.A. Leal, A. Prieto and B. Gómez-Miranda (Madrid, Spain) 289

High-performance gel-permeation chromatography of chitosan samples
M. Terbojevich, A. Cosani (Padova, Italy) B. Focher (Milano, Italy) and E. Marsano (Genova, Italy) 301

Notes

Synthesis of the 3-deoxy-3-*C*-(phosphonomethyl) analogue of 1D-*myo*-inositol 3-(dihydrogen-phosphate)
S.C. Johnson, F. Tagliaferri and D.C. Baker (Knoxville, TN, USA) 315

Reactions of 2-methyl-5-(D-*arabino*-tetrahydroxybutyl)-3-furoylhydrazine
M.M. El Sadek, N.B. Zagzoug and N.N. El Soccary (Alexandria, Egypt) 323

Preparation of hexopyranose 2-tosylates and their facile conversion into 1,2-anhydro hexopyranoses by internal displacement
E. Wu and Q. Wu (Beijing, People's Republic of China) 327

Primary structure of the polysaccharide chain of virulent *Pseudomonas solanacearum* biotype II lipopolysaccharide
T. Bhattacharyya and S. Basu (Calcutta, India) 335

Preliminary communication

A facile and regioselective synthesis of partially benzoylated 3′,4′-*O*-isopropylidene-β-lactosides as standardized key intermediates for sialyl Lewis X (sLe^X) analogues
M.A. Nashed and J.H. Musser (Alameda, CA, USA) C1

Erratum C5

Book review C7

Author index C9

Subject index C11